

AUDI

| CAR TYPE | TYPE | SIZE | ET | H / PCD | CENTER | WHEEL | KIT CODE | NOTE |
|--|------|----------|----|---------|--------|-------------|-------------|-----------------|
| A1 07/2010→ (Type 8X) PCD 5 / 100 - Hub Ø57 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | 501 | 8.0 x 18 | 32 | 5 / 100 | C.R. | 501 808 007 | 035 457 571 | |
| | 505 | 8.0 x 18 | 32 | 5 / 100 | C.R. | 505 808 007 | 035 457 571 | |
| A3 01/2003→ (Type 8P) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | 501 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 501 808 002 | 035 457 571 | More aggressive |
| | 501 | 8.0 x 18 | 48 | 5 / 112 | C.R. | 501 808 003 | 035 457 571 | |
| | 501 | 9.5 x 18 | 40 | 5 / 112 | C.R. | 501 958 002 | 035 457 571 | Rear Axle |
| | 505 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 505 808 002 | 035 457 571 | More aggressive |
| | 505 | 8.0 x 18 | 48 | 5 / 112 | C.R. | 505 808 003 | 035 457 571 | |
| | 505 | 9.0 x 18 | 40 | 5 / 112 | C.R. | 505 908 002 | 035 457 571 | Rear Axle |
| | 521 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 521 808 002 | 035 457 571 | More aggressive |
| | 521 | 8.0 x 18 | 48 | 5 / 112 | C.R. | 521 808 003 | 035 457 571 | |
| | 501 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 501 859 002 | 035 457 571 | More aggressive |
| | 501 | 8.5 x 19 | 48 | 5 / 112 | C.R. | 501 859 003 | 035 457 571 | |
| | 501 | 9.5 x 19 | 40 | 5 / 112 | C.R. | 501 959 002 | 035 457 571 | Rear Axle |
| | 505 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 505 859 002 | 035 457 571 | More aggressive |
| | 505 | 8.5 x 19 | 48 | 5 / 112 | C.R. | 505 859 003 | 035 457 571 | |
| | 505 | 9.5 x 19 | 40 | 5 / 112 | C.R. | 505 959 002 | 035 457 571 | Rear Axle |
| | 521 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 521 859 002 | 035 457 571 | More aggressive |
| | 521 | 8.5 x 19 | 48 | 5 / 112 | C.R. | 521 859 003 | 035 457 571 | |
| | 501 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 501 850 002 | 035 457 571 | |
| | 505 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 505 850 002 | 035 457 571 | |
| | 521 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 521 850 002 | 035 457 571 | |
| A3 Cabrio 12/2007→ (Type 8P) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | 501 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 501 808 002 | 035 457 571 | More aggressive |
| | 501 | 8.0 x 18 | 48 | 5 / 112 | C.R. | 501 808 003 | 035 457 571 | |
| | 501 | 9.5 x 18 | 40 | 5 / 112 | C.R. | 501 958 002 | 035 457 571 | Rear Axle |
| | 505 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 505 808 002 | 035 457 571 | More aggressive |
| | 505 | 8.0 x 18 | 48 | 5 / 112 | C.R. | 505 808 003 | 035 457 571 | |
| | 505 | 9.0 x 18 | 40 | 5 / 112 | C.R. | 505 908 002 | 035 457 571 | Rear Axle |
| | 521 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 521 808 002 | 035 457 571 | More aggressive |
| | 521 | 8.0 x 18 | 48 | 5 / 112 | C.R. | 521 808 003 | 035 457 571 | |
| | 501 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 501 859 002 | 035 457 571 | More aggressive |
| | 501 | 8.5 x 19 | 48 | 5 / 112 | C.R. | 501 859 003 | 035 457 571 | |
| | 501 | 9.5 x 19 | 40 | 5 / 112 | C.R. | 501 959 002 | 035 457 571 | Rear Axle |
| | 505 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 505 859 002 | 035 457 571 | More aggressive |
| | 505 | 8.5 x 19 | 48 | 5 / 112 | C.R. | 505 859 003 | 035 457 571 | |
| | 505 | 9.5 x 19 | 40 | 5 / 112 | C.R. | 505 959 002 | 035 457 571 | Rear Axle |
| | 521 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 521 859 002 | 035 457 571 | More aggressive |
| | 521 | 8.5 x 19 | 48 | 5 / 112 | C.R. | 521 859 003 | 035 457 571 | |
| | 501 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 501 850 002 | 035 457 571 | |
| | 505 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 505 850 002 | 035 457 571 | |
| | 521 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 521 850 002 | 035 457 571 | |

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

AUDI

| CAR TYPE | TYPE | SIZE | ET | H / PCD | CENTER | WHEEL | KIT CODE | NOTE |
|---|------|-----------|----|---------|--------|-------------|-------------|-----------------|
| A4 09/2000→08/2007 (Type 8E, 8H, QB6) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | 501 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 501 808 001 | 035 457 571 | |
| | 501 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 501 808 002 | 035 457 571 | |
| | 501 | 9.5 x 18 | 30 | 5 / 112 | C.R. | 501 958 001 | 035 457 571 | Rear Axle |
| | 505 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 505 808 001 | 035 457 571 | |
| | 505 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 505 808 002 | 035 457 571 | |
| | 505 | 9.0 x 18 | 30 | 5 / 112 | C.R. | 505 908 001 | 035 457 571 | |
| | 521 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 521 808 001 | 035 457 571 | |
| | 521 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 521 808 002 | 035 457 571 | |
| | 501 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 501 859 001 | 035 457 571 | |
| | 501 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 501 859 002 | 035 457 571 | |
| | 501 | 9.5 x 19 | 30 | 5 / 112 | C.R. | 501 959 001 | 035 457 571 | Rear Axle |
| | 505 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 505 859 001 | 035 457 571 | |
| | 505 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 505 859 002 | 035 457 571 | |
| | 505 | 9.5 x 19 | 30 | 5 / 112 | C.R. | 505 959 001 | 035 457 571 | Rear Axle |
| | 521 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 521 859 001 | 035 457 571 | |
| | 521 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 521 859 002 | 035 457 571 | |
| A4 09/2007→ (Type B8) PCD 5 / 112 - Hub Ø66.5 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | 501 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 501 808 001 | 035 457 664 | More aggressive |
| | 501 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 501 808 002 | 035 457 664 | |
| | 501 | 9.5 x 18 | 40 | 5 / 112 | C.R. | 501 958 002 | 035 457 664 | Rear Axle |
| | 505 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 505 808 001 | 035 457 664 | More aggressive |
| | 505 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 505 808 002 | 035 457 664 | |
| | 505 | 9.0 x 18 | 40 | 5 / 112 | C.R. | 505 908 002 | 035 457 664 | Rear Axle |
| | 521 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 521 808 001 | 035 457 664 | More aggressive |
| | 521 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 521 808 002 | 035 457 664 | |
| | 501 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 501 859 001 | 035 457 664 | More aggressive |
| | 501 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 501 859 002 | 035 457 664 | |
| | 501 | 9.5 x 19 | 40 | 5 / 112 | C.R. | 501 959 002 | 035 457 664 | Rear Axle |
| | 505 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 505 859 001 | 035 457 664 | More aggressive |
| | 505 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 505 859 002 | 035 457 664 | |
| | 505 | 9.5 x 19 | 40 | 5 / 112 | C.R. | 505 959 002 | 035 457 664 | Rear Axle |
| | 521 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 521 859 001 | 035 457 664 | More aggressive |
| | 521 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 521 859 002 | 035 457 664 | |
| | 365 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 365 900 001 | 065 457 664 | More aggressive |
| | 365 | 9.0 x 20 | 40 | 5 / 112 | C.R. | 365 900 002 | 065 457 664 | |
| | 501 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 501 850 001 | 035 457 664 | More aggressive |
| | 501 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 501 850 002 | 035 457 664 | |
| | 501 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 501 900 001 | 035 457 664 | More aggressive |
| | 501 | 10.5 x 20 | 40 | 5 / 112 | C.R. | 501 150 002 | 035 457 664 | Rear Axle |
| | 505 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 505 850 001 | 035 457 664 | More aggressive |
| | 505 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 505 850 002 | 035 457 664 | |
| | 505 | 10.5 x 20 | 40 | 5 / 112 | C.R. | 505 150 002 | 035 457 664 | Rear Axle |
| | 521 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 521 850 001 | 035 457 664 | More aggressive |
| | 521 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 521 850 002 | 035 457 664 | |
| A4 ALLROAD 04/2009→ (Type B8) PCD 5 / 112 - Hub Ø66.5 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | 501 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 501 808 001 | 035 457 664 | |
| | 505 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 505 908 001 | 035 457 664 | |
| | 505 | 9.0 x 18 | 30 | 5 / 112 | C.R. | 505 908 001 | 035 457 664 | |
| | 521 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 521 908 001 | 035 457 664 | |
| | 501 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 501 808 001 | 035 457 664 | |
| | 505 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 505 859 001 | 035 457 664 | |
| | 505 | 8.5 x 19 | 25 | 5 / 112 | C.R. | 505 859 012 | 035 457 664 | |
| | 521 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 521 859 001 | 035 457 664 | |
| | 501 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 501 850 001 | 035 457 664 | |
| | 505 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 505 850 001 | 035 457 664 | |
| | 521 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 521 850 001 | 035 457 664 | |

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

AUDI

| CAR TYPE | TYPE | SIZE | ET | H / PCD | CENTER | WHEEL | KIT CODE | NOTE |
|--|--------|-----------|----|---------|--------|-------------|-------------|-----------|
| A5-CABRIO-S5 CABRIO 03/2007→ (Type B8) PCD 5 / 112 - Hub Ø66.5 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| * 5-10mm Spacer | 501 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 501 808 001 | 035 457 664 | |
| | 501 | 9.5 x 18 | 30 | 5 / 112 | C.R. | 501 958 001 | 035 457 664 | Rear Axle |
| | 505 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 505 908 001 | 035 457 664 | |
| | 505 | 9.0 x 18 | 30 | 5 / 112 | C.R. | 505 908 001 | 035 457 664 | Rear Axle |
| | 521 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 521 908 001 | 035 457 664 | |
| | 501 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 501 859 001 | 035 457 664 | |
| | 501 | 9.5 x 19 | 30 | 5 / 112 | C.R. | 501 959 001 | 035 457 664 | Rear Axle |
| | 505 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 505 859 001 | 035 457 664 | |
| | 505 | 9.5 x 19 | 30 | 5 / 112 | C.R. | 505 959 001 | 035 457 664 | Rear Axle |
| | 521 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 521 859 001 | 035 457 664 | |
| | 365 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 365 900 001 | 065 457 664 | |
| | 365* | 11.0 x 20 | 32 | 5 / 112 | C.R. | 365 110 002 | 065 457 664 | Rear Axle |
| | 501 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 501 850 001 | 035 457 664 | |
| | 501 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 501 900 001 | 035 457 664 | |
| | 501* | 10.5 x 20 | 30 | 5 / 112 | C.R. | 501 150 001 | 035 457 664 | Rear Axle |
| | 503 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 503 900 001 | 065 457 664 | |
| | 505 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 505 850 001 | 035 457 664 | |
| | 505* | 10.5 x 20 | 30 | 5 / 112 | C.R. | 505 150 001 | 035 457 664 | Rear Axle |
| | 509 | 9.0 x 20 | 35 | 5 / 112 | C.R. | 503 900 001 | 035 457 664 | |
| | 521 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 521 850 001 | 035 457 664 | |
| A6 03/2004→12/2010 (Type 4F) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| *** With 6mm Spacer | 501 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 501 808 002 | 035 457 571 | |
| | 501 | 9.5 x 18 | 40 | 5 / 112 | C.R. | 501 958 002 | 035 457 571 | Rear Axle |
| | 505 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 505 808 002 | 035 457 571 | |
| | 505 | 9.0 x 18 | 40 | 5 / 112 | C.R. | 505 908 002 | 035 457 571 | Rear Axle |
| | 521 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 521 808 002 | 035 457 571 | |
| | 501 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 501 859 002 | 035 457 571 | |
| | 501 | 9.5 x 19 | 40 | 5 / 112 | C.R. | 501 959 002 | 035 457 571 | Rear Axle |
| | 505 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 505 859 002 | 035 457 571 | |
| | 505 | 9.5 x 19 | 40 | 5 / 112 | C.R. | 505 959 002 | 035 457 571 | Rear Axle |
| | 521 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 521 859 002 | 035 457 571 | |
| | 365 | 9.0 x 20 | 40 | 5 / 112 | C.R. | 365 900 002 | 065 457 571 | |
| | 501 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 501 850 002 | 035 457 571 | |
| | 501*** | 10.5 x 20 | 40 | 5 / 112 | C.R. | 501 150 002 | 035 457 571 | Rear Axle |
| | 503 | 9.0 x 20 | 40 | 5 / 112 | C.R. | 503 900 002 | 065 457 571 | |
| | 503*** | 10.5 x 20 | 40 | 5 / 112 | C.R. | 503 150 002 | 065 457 571 | Rear Axle |
| | 505 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 505 850 002 | 035 457 571 | |
| | 505*** | 10.5 x 20 | 40 | 5 / 112 | C.R. | 505150 002 | 035 457 571 | Rear Axle |
| | 521 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 521 850 002 | 035 457 571 | |

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

AUDI

| CAR TYPE | TYPE | SIZE | ET | H / PCD | CENTER | WHEEL | KIT CODE | NOTE |
|---|------|-----------|----|---------|--------|-------------|-------------|-----------|
| A6 01/2011→ (Type 4G) PCD 5 / 112 - Hub Ø66.5 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | 501 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 501 808 001 | 095 457 664 | |
| | 501 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 501 808 002 | 095 457 664 | |
| | 501 | 9.5 x 18 | 30 | 5 / 112 | C.R. | 501 958 001 | 095 457 664 | |
| | 505 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 505 808 001 | 095 457 664 | |
| | 505 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 505 808 002 | 095 457 664 | |
| | 505 | 9.0 x 18 | 30 | 5 / 112 | C.R. | 505 908 001 | 095 457 664 | |
| | 521 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 521 808 001 | 095 457 664 | |
| | 521 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 521 808 002 | 095 457 664 | |
| | 501 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 501 808 001 | 095 457 664 | |
| | 501 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 501 808 002 | 095 457 664 | |
| | 501 | 9.5 x 19 | 30 | 5 / 112 | C.R. | 501 958 001 | 095 457 664 | |
| | 505 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 505 808 001 | 095 457 664 | |
| | 505 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 505 808 002 | 095 457 664 | |
| | 505 | 9.5 x 19 | 30 | 5 / 112 | C.R. | 505 908 001 | 095 457 664 | |
| | 521 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 521 808 001 | 095 457 664 | |
| | 521 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 521 808 002 | 095 457 664 | |
| | 365 | 9.0 x 20 | 40 | 5 / 112 | C.R. | 365 900 002 | 095 457 664 | |
| | 501 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 501 850 001 | 095 457 664 | |
| | 501 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 501 850 002 | 095 457 664 | |
| | 501 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 501 900 001 | 095 457 664 | |
| | 505 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 505 850 001 | 095 457 664 | |
| | 505 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 505 850 002 | 095 457 664 | |
| | 521 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 521 850 001 | 095 457 664 | |
| | 521 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 521 850 002 | 095 457 664 | |
| A7 06/2010→ (Type 4G) PCD 5 / 112 - Hub Ø66.5 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | 501 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 501 808 001 | 095 457 664 | |
| | 505 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 505 808 001 | 095 457 664 | |
| | 505 | 9.0 x 18 | 30 | 5 / 112 | C.R. | 505 908 001 | 095 457 664 | |
| | 521 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 521 808 001 | 095 457 664 | |
| | 501 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 501 859 001 | 095 457 664 | |
| | 501 | 9.5 x 19 | 30 | 5 / 112 | C.R. | 501 959 001 | 095 457 664 | |
| | 505 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 505 859 001 | 095 457 664 | |
| | 505 | 9.5 x 19 | 30 | 5 / 112 | C.R. | 505 959 001 | 095 457 664 | |
| | 521 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 521 859 001 | 095 457 664 | |
| | 365 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 365 900 001 | 095 457 664 | |
| | 501 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 501 850 001 | 095 457 664 | |
| | 501 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 501 900 001 | 095 457 664 | |
| | 501 | 10.5 x 20 | 30 | 5 / 112 | C.R. | 501 150 001 | 095 457 664 | Rear Axle |
| | 503 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 503 900 001 | 095 457 664 | |
| | 503 | 10.5 x 20 | 30 | 5 / 112 | C.R. | 503 150 001 | 095 457 664 | Rear Axle |
| | 505 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 505 850 001 | 095 457 664 | |
| | 505 | 10.5 x 20 | 30 | 5 / 112 | C.R. | 505 150 001 | 095 457 664 | Rear Axle |
| | 509 | 9.0 x 20 | 35 | 5 / 112 | C.R. | 509 900 001 | 095 457 664 | |
| | 521 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 521 850 001 | 095 457 664 | |
| A8 11/2010→ (Type 4H) PCD 5 / 112 - Hub Ø66.5 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| *Except 285 Kw and ceramic brake | 501* | 8.0 x 18 | 30 | 5 / 112 | C.R. | 501 808 001 | 095 457 664 | |
| | 505* | 8.0 x 18 | 30 | 5 / 112 | C.R. | 505 808 001 | 095 457 664 | |
| | 505* | 9.0 x 18 | 30 | 5 / 112 | C.R. | 505 908 001 | 095 457 664 | |
| | 521* | 8.0 x 18 | 30 | 5 / 112 | C.R. | 521 808 001 | 095 457 664 | |
| | 501 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 501 859 001 | 095 457 664 | |
| | 505 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 505 859 001 | 095 457 664 | |
| | 521 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 521 859 001 | 095 457 664 | |
| | 365 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 365 900 001 | 095 457 664 | |
| | 501 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 501 900 001 | 095 457 664 | |
| | 503 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 503 900 001 | 095 457 664 | |
| | 509 | 9.0 x 20 | 35 | 5 / 112 | C.R. | 509 900 001 | 095 457 664 | |

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

AUDI

| CAR TYPE | TYPE | SIZE | ET | H / PCD | CENTER | WHEEL | KIT CODE | NOTE | |
|--|--|----------|----------|---------|---------|-------------|-------------|-----------------|-----------------|
| A8 01/2002→11/2010 (Type 4E) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX | | | | | | | | | |
| * Except cars equipped With Front Axle brakes discs Ø365mm | 501* | 8.0 x 18 | 30 | 5 / 112 | C.R. | 501 808 001 | 035 457 571 | More aggressive | |
| | 501* | 8.0 x 18 | 40 | 5 / 112 | C.R. | 501 808 002 | 035 457 571 | | |
| | 501* | 9.5 x 18 | 30 | 5 / 112 | C.R. | 501 958 001 | 035 457 571 | Rear Axle | |
| | 505* | 8.0 x 18 | 30 | 5 / 112 | C.R. | 505 808 001 | 035 457 571 | More aggressive | |
| | 505* | 8.0 x 18 | 40 | 5 / 112 | C.R. | 505 808 002 | 035 457 571 | | |
| | 505* | 9.0 x 18 | 30 | 5 / 112 | C.R. | 505 908 001 | 035 457 571 | Rear Axle | |
| | 521* | 8.0 x 18 | 40 | 5 / 112 | C.R. | 521 808 002 | 035 457 571 | | |
| | 501 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 501 859 001 | 035 457 571 | More aggressive | |
| | 501* | 8.5 x 19 | 40 | 5 / 112 | C.R. | 501 859 002 | 035 457 571 | | |
| | 501 | 9.5 x 19 | 30 | 5 / 112 | C.R. | 501 959 001 | 035 457 571 | Rear Axle | |
| | 505 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 505 859 001 | 035 457 571 | More aggressive | |
| | 505* | 8.5 x 19 | 40 | 5 / 112 | C.R. | 505 859 002 | 035 457 571 | | |
| | 505 | 9.5 x 19 | 30 | 5 / 112 | C.R. | 505 959 001 | 035 457 571 | Rear Axle | |
| | 521* | 8.5 x 19 | 30 | 5 / 112 | C.R. | 521 808 001 | 095 457 664 | | |
| | 521 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 521 808 002 | 095 457 664 | | |
| | 365 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 365 900 001 | 065 457 571 | More aggressive | |
| | 365 | 9.0 x 20 | 40 | 5 / 112 | C.R. | 365 900 002 | 065 457 571 | | |
| | 501 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 501 850 001 | 035 457 571 | More aggressive | |
| | 501 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 501 850 002 | 035 457 571 | | |
| | 501 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 501 900 001 | 035 457 571 | More aggressive | |
| | 503 | 9.0 x 20 | 40 | 5 / 112 | C.R. | 503 900 002 | 065 457 571 | More aggressive | |
| | 505 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 505 850 001 | 035 457 571 | More aggressive | |
| | 505 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 505 850 002 | 035 457 571 | | |
| | 509 | 9.0 x 20 | 35 | 5 / 112 | C.R. | 509 900 001 | 065 457 571 | More aggressive | |
| | 521 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 521 850 001 | 095 457 664 | | |
| | 521 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 521 850 002 | 095 457 664 | | |
| | A8 6.0 W12 01/2003→11/2010 (Type 4E) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | | 501 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 501 859 001 | 035 457 571 | More aggressive |
| | 501 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 501 859 002 | 035 457 571 | | |
| | 501 | 9.5 x 19 | 30 | 5 / 112 | C.R. | 501 959 001 | 035 457 571 | Rear Axle | |
| | 505 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 505 859 001 | 035 457 571 | More aggressive | |
| | 505 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 505 859 002 | 035 457 571 | | |
| | 505 | 9.5 x 19 | 30 | 5 / 112 | C.R. | 505 959 001 | 035 457 571 | Rear Axle | |
| | 521 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 521 808 001 | 095 457 664 | | |
| | 521 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 521 808 002 | 095 457 664 | | |
| | 365 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 365 900 001 | 065 457 571 | More aggressive | |
| | 365 | 9.0 x 20 | 40 | 5 / 112 | C.R. | 365 900 002 | 065 457 571 | | |
| | 501 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 501 850 001 | 035 457 571 | More aggressive | |
| | 501 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 501 850 002 | 035 457 571 | | |
| | 501 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 501 900 001 | 035 457 571 | More aggressive | |
| | 503 | 9.0 x 20 | 40 | 5 / 112 | C.R. | 503 900 002 | 065 457 571 | More aggressive | |
| | 505 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 505 850 001 | 035 457 571 | More aggressive | |
| | 505 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 505 850 002 | 035 457 571 | | |
| | 521 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 521 850 001 | 095 457 664 | | |
| | 521 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 521 850 002 | 095 457 664 | | |

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

AUDI

| CAR TYPE | TYPE | SIZE | ET | H / PCD | CENTER | WHEEL | KIT CODE | NOTE |
|--|------|----------|----|---------|--------|-------------|-------------|-----------------|
| ALLROAD 03/2006→ (Type 4F) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | 501 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 501 808 001 | 035 457 571 | More aggressive |
| | 501 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 501 808 002 | 035 457 571 | |
| | 505 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 505 808 001 | 035 457 571 | More aggressive |
| | 505 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 505 808 002 | 035 457 571 | |
| | 521 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 521 808 001 | 035 457 571 | More aggressive |
| | 521 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 521 808 002 | 035 457 571 | |
| | 501 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 501 859 001 | 035 457 571 | More aggressive |
| | 501 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 501 859 002 | 035 457 571 | |
| | 505 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 505 859 001 | 035 457 571 | More aggressive |
| | 505 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 505 859 002 | 035 457 571 | |
| | 521 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 521 859 001 | 035 457 571 | More aggressive |
| | 521 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 521 859 002 | 035 457 571 | |
| | 365 | 9.0 x 20 | 40 | 5 / 112 | C.R. | 365 900 002 | 065 457 571 | |
| | 501 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 501 850 001 | 035 457 571 | More aggressive |
| | 501 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 501 850 002 | 035 457 571 | |
| | 501 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 501 900 001 | 035 457 571 | More aggressive |
| | 505 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 505 850 001 | 035 457 571 | More aggressive |
| | 505 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 505 850 002 | 035 457 571 | |
| | 521 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 521 850 001 | 035 457 571 | More aggressive |
| | 521 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 521 850 002 | 035 457 571 | |
| S3 06/2006→ (Type 8P) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | 501 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 501 808 002 | 035 457 571 | More aggressive |
| | 501 | 8.0 x 18 | 48 | 5 / 112 | C.R. | 501 808 003 | 035 457 571 | |
| | 505 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 505 808 002 | 035 457 571 | More aggressive |
| | 505 | 8.0 x 18 | 48 | 5 / 112 | C.R. | 505 808 003 | 035 457 571 | |
| | 521 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 521 808 002 | 035 457 571 | More aggressive |
| | 521 | 8.0 x 18 | 48 | 5 / 112 | C.R. | 521 808 003 | 035 457 571 | |
| | 501 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 501 859 002 | 035 457 571 | More aggressive |
| | 501 | 8.5 x 19 | 48 | 5 / 112 | C.R. | 501 859 003 | 035 457 571 | |
| | 505 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 505 859 002 | 035 457 571 | More aggressive |
| | 505 | 8.5 x 19 | 48 | 5 / 112 | C.R. | 505 859 003 | 035 457 571 | |
| | 521 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 521 859 002 | 035 457 571 | More aggressive |
| | 521 | 8.5 x 19 | 48 | 5 / 112 | C.R. | 521 859 003 | 035 457 571 | |
| | 501 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 501 850 002 | 035 457 571 | Body Work |
| | 505 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 505 850 002 | 035 457 571 | Body Work |
| | 521 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 521 850 002 | 035 457 571 | Body Work |
| RS3 01/2011→ (Type 8PA) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | 501 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 501 859 002 | 035 457 571 | More aggressive |
| | 501 | 8.5 x 19 | 48 | 5 / 112 | C.R. | 501 859 003 | 035 457 571 | |
| | 501 | 9.5 x 19 | 40 | 5 / 112 | C.R. | 501 959 002 | 035 457 571 | Rear Axle |
| | 505 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 505 859 002 | 035 457 571 | More aggressive |
| | 505 | 8.5 x 19 | 48 | 5 / 112 | C.R. | 505 859 003 | 035 457 571 | |
| | 505 | 9.5 x 19 | 40 | 5 / 112 | C.R. | 505 959 002 | 035 457 571 | Rear Axle |
| | 521 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 521 859 002 | 035 457 571 | More aggressive |
| | 521 | 8.5 x 19 | 48 | 5 / 112 | C.R. | 521 859 003 | 035 457 571 | |

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

AUDI

| CAR TYPE | TYPE | SIZE | ET | H / PCD | CENTER | WHEEL | KIT CODE | NOTE |
|--|------|----------|----|---------|--------|-------------|-------------|-----------------|
| S4 09/2000→06/2009 (Type 8E/QB6) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | 501 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 501 808 001 | 035 457 571 | |
| | 501 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 501 808 002 | 035 457 571 | |
| | 501 | 9.5 x 18 | 30 | 5 / 112 | C.R. | 501 958 001 | 035 457 571 | Rear Axle |
| | 505 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 505 808 001 | 035 457 571 | |
| | 505 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 505 808 002 | 035 457 571 | |
| | 505 | 9.0 x 18 | 30 | 5 / 112 | C.R. | 505 908 001 | 035 457 571 | |
| | 521 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 521 808 001 | 035 457 571 | |
| | 521 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 521 808 002 | 035 457 571 | |
| | 501 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 501 859 001 | 035 457 571 | |
| | 501 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 501 859 002 | 035 457 571 | |
| | 501 | 9.5 x 19 | 30 | 5 / 112 | C.R. | 501 959 001 | 035 457 571 | Rear Axle |
| | 505 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 505 859 001 | 035 457 571 | |
| | 505 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 505 859 002 | 035 457 571 | |
| | 505 | 9.5 x 19 | 30 | 5 / 112 | C.R. | 505 959 001 | 035 457 571 | Rear Axle |
| | 521 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 521 859 001 | 035 457 571 | |
| | 521 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 521 859 002 | 035 457 571 | |
| S4 07/2009→ (Type B8) PCD 5 / 112 - Hub Ø66.5 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | 501 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 501 808 002 | 035 457 664 | |
| | 505 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 505 808 002 | 035 457 664 | |
| | 521 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 521 808 002 | 035 457 664 | |
| | 501 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 501 859 002 | 035 457 664 | |
| | 505 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 505 859 002 | 035 457 664 | |
| | 521 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 521 859 002 | 035 457 664 | |
| | 365 | 9.0 x 20 | 40 | 5 / 112 | C.R. | 365 900 002 | 065 457 664 | |
| | 501 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 501 850 002 | 035 457 664 | |
| | 501 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 501 900 001 | 035 457 664 | More aggressive |
| | 503 | 9.0 x 20 | 40 | 5 / 112 | C.R. | 503 900 002 | 065 457 664 | |
| | 505 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 505 850 002 | 035 457 664 | |
| | 521 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 521 850 002 | 035 457 664 | |
| RS4 03/2005→ (Type QB6) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | 501 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 501 859 001 | 035 457 571 | |
| | 505 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 505 859 001 | 035 457 571 | |
| | 505 | 8.5 x 19 | 25 | 5 / 112 | C.R. | 505 859 012 | 035 457 571 | |
| | 521 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 521 859 001 | 035 457 571 | |
| | 365 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 365 900 001 | 065 457 571 | |
| | 501 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 501 850 001 | 035 457 571 | |
| | 501 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 501 900 001 | 035 457 571 | |
| | 503 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 503 900 001 | 065 457 571 | |
| | 505 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 505 850 001 | 035 457 571 | |
| | 509 | 9.0 x 20 | 35 | 5 / 112 | C.R. | 509 900 001 | 035 457 571 | |
| | 521 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 521 850 002 | 035 457 571 | |
| S5 03/2007→ (Type B8) PCD 5 / 112 - Hub Ø66.5 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | 501 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 501 808 001 | 035 457 664 | |
| | 505 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 505 808 001 | 035 457 664 | |
| | 521 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 521 808 001 | 035 457 664 | |
| | 501 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 501 859 001 | 035 457 664 | |
| | 505 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 505 859 001 | 035 457 664 | |
| | 521 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 521 859 001 | 035 457 664 | |
| | 365 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 365 900 001 | 065 457 664 | |
| | 501 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 501 850 001 | 035 457 664 | |
| | 501 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 501 900 001 | 035 457 664 | |
| | 503 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 503 900 001 | 065 457 664 | |
| | 505 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 505 850 001 | 035 457 664 | |
| | 509 | 9.0 x 20 | 35 | 5 / 112 | C.R. | 509 900 001 | 035 457 664 | |
| | 521 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 521 850 001 | 035 457 664 | |

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

AUDI

| CAR TYPE | TYPE | SIZE | ET | H / PCD | CENTER | WHEEL | KIT CODE | NOTE |
|---|------|----------|----|---------|--------|-------------|-------------|-----------|
| S6 01/2006→ (Type 4F) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | 501 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 501 859 002 | 035 457 571 | |
| | 501 | 9.5 x 19 | 40 | 5 / 112 | C.R. | 501 959 002 | 035 457 571 | Rear Axle |
| | 505 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 505 859 002 | 035 457 571 | |
| | 505 | 9.5 x 19 | 40 | 5 / 112 | C.R. | 505 959 002 | 035 457 571 | Rear Axle |
| | 521 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 521 859 002 | 035 457 571 | |
| | 365 | 9.0 x 20 | 40 | 5 / 112 | C.R. | 365 900 002 | 065 457 571 | |
| | 503 | 9.0 x 20 | 40 | 5 / 112 | C.R. | 503 900 002 | 065 457 571 | |
| | 509 | 9.0 x 20 | 35 | 5 / 112 | C.R. | 509 900 001 | 035 457 571 | |
| RS6 09/2007→ (Type 4F) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | 365 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 365 900 001 | 065 457 571 | |
| | 501 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 501 900 001 | 035 457 571 | |
| | 503 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 503 900 001 | 065 457 571 | |
| | 509 | 9.0 x 20 | 35 | 5 / 112 | C.R. | 509 900 001 | 035 457 571 | |
| Q3 06/2011→ (Type 8U) PCD 5 / 112 - Hub Ø57.1 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | 501 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 501 808 001 | 035 457 571 | |
| | 501 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 501 808 002 | 035 457 571 | |
| | 505 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 505 808 001 | 035 457 571 | |
| | 505 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 505 808 002 | 035 457 571 | |
| | 505 | 9.0 x 18 | 40 | 5 / 112 | C.R. | 505 908 002 | 035 457 571 | |
| | 521 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 521 808 002 | 035 457 571 | |
| | 501 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 501 859 001 | 035 457 571 | |
| | 501 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 501 859 002 | 035 457 571 | |
| | 505 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 505 859 001 | 035 457 571 | |
| | 505 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 505 859 002 | 035 457 571 | |
| | 521 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 521 859 001 | 035 457 571 | |
| | 521 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 521 859 002 | 035 457 571 | |
| | 365 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 365 900 001 | 065 457 571 | |
| | 365 | 9.0 x 20 | 40 | 5 / 112 | C.R. | 365 900 002 | 065 457 571 | |
| | 501 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 501 850 001 | 035 457 571 | |
| | 501 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 501 850 002 | 035 457 571 | |
| | 501 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 501 900 001 | 035 457 571 | |
| | 501 | 9.0 x 20 | 40 | 5 / 112 | C.R. | 501 900 002 | 035 457 571 | |
| | 503 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 503 900 001 | 065 457 571 | |
| | 503 | 9.0 x 20 | 40 | 5 / 112 | C.R. | 503 900 002 | 065 457 571 | |
| | 505 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 505 850 001 | 035 457 571 | |
| | 505 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 505 850 002 | 035 457 571 | |
| | 509 | 9.0 x 20 | 35 | 5 / 112 | C.R. | 509 900 001 | 035 457 571 | |
| | 521 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 521 850 001 | 035 457 571 | |
| | 521 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 521 850 002 | 035 457 571 | |

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

AUDI

| CAR TYPE | TYPE | SIZE | ET | H / PCD | CENTER | WHEEL | KIT CODE | NOTE |
|---|------|-----------|----|---------|--------|-------------|-------------|-----------------|
| Q5 09/2008 → (Type 8R) PCD 5 / 112 - Hub Ø66.5 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | 501 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 501 808 001 | 095 457 664 | |
| | 505 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 505 808 001 | 095 457 664 | |
| | 505 | 9.0 x 18 | 30 | 5 / 112 | C.R. | 505 908 001 | 095 457 664 | |
| | 521 | 8.0 x 18 | 30 | 5 / 112 | C.R. | 521 808 001 | 095 457 664 | |
| | 501 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 501 859 001 | 095 457 664 | |
| | 501 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 501 859 002 | 095 457 664 | |
| | 501 | 9.5 x 19 | 30 | 5 / 112 | C.R. | 501 959 001 | 095 457 664 | Rear Axle |
| | 505 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 505 859 001 | 095 457 664 | |
| | 505 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 505 859 002 | 095 457 664 | |
| | 505 | 9.5 x 19 | 30 | 5 / 112 | C.R. | 505 959 001 | 095 457 664 | Rear Axle |
| | 521 | 8.5 x 19 | 30 | 5 / 112 | C.R. | 521 859 001 | 095 457 664 | |
| | 521 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 521 859 002 | 095 457 664 | |
| | 365 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 365 900 001 | 095 457 664 | |
| | 501 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 501 850 001 | 095 457 664 | |
| | 501 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 501 900 001 | 095 457 664 | |
| | 503 | 9.0 x 20 | 30 | 5 / 112 | C.R. | 503 900 001 | 095 457 664 | |
| | 505 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 505 850 001 | 095 457 664 | |
| | 509 | 9.0 x 20 | 35 | 5 / 112 | C.R. | 509 900 001 | 095 457 664 | |
| | 521 | 8.5 x 20 | 30 | 5 / 112 | C.R. | 521 850 001 | 095 457 664 | |
| | 503 | 9.0 x 22 | 20 | 5 / 112 | C.R. | 503 902 001 | 095 457 664 | |
| | 503 | 9.0 x 22 | 30 | 5 / 112 | C.R. | 503 902 002 | 095 457 664 | |
| Q7 09/2005 → (Type 4L) PCD 5 / 130 - Hub Ø71.6 - Screw M14 x 1.5 19mm HEX | | | | | | | | |
| * Except V12 | 389* | 9.5 x 20 | 52 | 5 / 130 | 71.6 | 389 950 003 | Original | |
| | 503* | 9.0 x 20 | 50 | 5 / 130 | 71.6 | 503 900 007 | Original | |
| | 503* | 10.5 x 20 | 45 | 5 / 130 | 71.6 | 503 150 004 | Original | |
| | 503 | 10.5 x 20 | 38 | 5 / 130 | 71.6 | 503 150 003 | Original | |
| | 509* | 9.0 x 20 | 50 | 5 / 130 | 71.6 | 509 900 006 | Original | |
| | 365* | 10.0 x 22 | 54 | 5 / 130 | 71.6 | 365 102 003 | Original | |
| | 389* | 10.0 x 22 | 54 | 5 / 130 | 71.6 | 389 102 004 | Original | |
| | 503* | 9.0 x 22 | 50 | 5 / 130 | 71.6 | 503 902 006 | Original | |
| | 503* | 10.0 x 22 | 54 | 5 / 130 | 71.6 | 503 102 005 | Original | |
| | 509* | 10.0 x 22 | 54 | 5 / 130 | 71.6 | 509 102 005 | Original | |
| TT 06/2006 → (Type 8J) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | 501 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 501 808 002 | 035 457 571 | More aggressive |
| | 501 | 8.0 x 18 | 48 | 5 / 112 | C.R. | 501 808 003 | 035 457 571 | |
| | 501 | 9.5 x 18 | 40 | 5 / 112 | C.R. | 501 958 002 | 035 457 571 | Rear Axle |
| | 505 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 505 808 002 | 035 457 571 | More aggressive |
| | 505 | 8.0 x 18 | 48 | 5 / 112 | C.R. | 505 808 003 | 035 457 571 | |
| | 505 | 9.0 x 18 | 40 | 5 / 112 | C.R. | 505 908 002 | 035 457 571 | Rear Axle |
| | 521 | 8.0 x 18 | 40 | 5 / 112 | C.R. | 521 808 002 | 035 457 571 | More aggressive |
| | 521 | 8.0 x 18 | 48 | 5 / 112 | C.R. | 521 808 003 | 035 457 571 | |
| | 501 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 501 859 002 | 035 457 571 | More aggressive |
| | 501 | 8.5 x 19 | 48 | 5 / 112 | C.R. | 501 859 003 | 035 457 571 | |
| | 501 | 9.5 x 19 | 40 | 5 / 112 | C.R. | 501 959 002 | 035 457 571 | Rear Axle |
| | 505 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 505 859 002 | 035 457 571 | More aggressive |
| | 505 | 8.5 x 19 | 48 | 5 / 112 | C.R. | 505 859 003 | 035 457 571 | |
| | 505 | 9.5 x 19 | 40 | 5 / 112 | C.R. | 505 959 002 | 035 457 571 | Rear Axle |
| | 521 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 521 859 002 | 035 457 571 | More aggressive |
| | 521 | 8.5 x 19 | 48 | 5 / 112 | C.R. | 521 859 003 | 035 457 571 | |
| | 365 | 9.0 x 20 | 40 | 5 / 112 | C.R. | 365 900 002 | 065 457 571 | |
| | 501 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 501 850 002 | 035 457 571 | |
| | 503 | 9.0 x 20 | 40 | 5 / 112 | C.R. | 503 900 002 | 065 457 571 | |
| | 505 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 505 850 002 | 035 457 571 | |
| | 509 | 9.0 x 20 | 35 | 5 / 112 | C.R. | 509 900 001 | 035 457 571 | |
| | 521 | 8.5 x 20 | 40 | 5 / 112 | C.R. | 521 850 002 | 035 457 571 | |
| TT RS 09/2009 → (Type 8J) PCD 5 / 112 - Hub Ø57 - Screw M14 x 1.5 17mm HEX | | | | | | | | |
| | 505 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 505 859 002 | 035 457 571 | only M+S |
| | 521 | 8.5 x 19 | 40 | 5 / 112 | C.R. | 521 859 002 | 035 457 571 | only M+S |

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.