

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL	KIT CODE	NOTE
A-KLASSE 09/2004→ (Type 169) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	095 457 664	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	095 457 664	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	095 457 664	
B-KLASSE 03/2005→ (Type 245 - 246) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	095 457 664	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	095 457 664	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	095 457 664	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	095 457 664	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	095 457 664	
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	095 457 664	
C-KLASSE 01/2007→ (Type 204) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	095 457 664	More aggressive
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	095 457 664	
	501	9.5 x 18	40	5 / 112	C.R.	501 958 002	095 457 664	Rear Axle
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	095 457 664	More aggressive
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	095 457 664	
	505	9.0 x 18	40	5 / 112	C.R.	505 908 002	095 457 664	Rear Axle
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	095 457 664	More aggressive
	521	8.0 x 18	48	5 / 112	C.R.	521 808 003	095 457 664	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	095 457 664	More aggressive
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	095 457 664	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	095 457 664	Rear Axle
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	095 457 664	More aggressive
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	095 457 664	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	095 457 664	Rear Axle
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	095 457 664	More aggressive
	521	8.5 x 19	48	5 / 112	C.R.	521 859 003	095 457 664	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	095 457 664	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	095 457 664	
	521	8.5 x 20	40	5 / 112	C.R.	521 850 002	095 457 664	
C63 AMG 01/2007→ (Type 204) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	095 457 664	Front Axle
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	095 457 664	Rear Axle
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	095 457 664	Front Axle
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	095 457 664	Rear Axle
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	095 457 664	Front Axle
	501	10.5 x 20	40	5 / 112	C.R.	501 150 001	095 457 664	Rear Axle
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	095 457 664	Front Axle
	505	10.5 x 20	40	5 / 112	C.R.	505 150 001	095 457 664	Rear Axle
C-KLASSE 03/2000→01/2007 (Type 203) PCD 5 / 112 - Hub Ø66.5 – Screw M12 x 1.5 17 HEX								
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	055 257 664	
	501	9.5 x 18	30	5 / 112	C.R.	501 958 001	055 257 664	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	055 257 664	
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	055 257 664	Rear Axle
	521	8.0 x 18	30	5 / 112	C.R.	521 808 001	055 257 664	
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	055 257 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	055 257 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	055 257 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	055 257 664	Rear Axle
	521	8.5 x 19	30	5 / 112	C.R.	521 859 001	055 257 664	
C30 CDI AMG 01/2004→01/2007 (Type 203) PCD 5 / 112 - Hub Ø66.5 – Screw M12 x 1.5 17 HEX								
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	055 257 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	055 257 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	055 257 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	055 257 664	Rear Axle
	521	8.5 x 19	30	5 / 112	C.R.	521 859 001	055 257 664	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL	KIT CODE	NOTE
C55 AMG 01/2004→01/2007 (Type 203) PCD 5 / 112 - Hub Ø66.5 – Screw M12 x 1.5 17 HEX								
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	055 257 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	055 257 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	055 257 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	055 257 664	Rear Axle
	521	8.5 x 19	30	5 / 112	C.R.	521 859 001	055 257 664	
CL-KLASSE 06/2006→ (Type 216) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
* Except CL600 (380kw)	501*	8.0 x 18	30	5 / 112	C.R.	501 808 001	095 457 664	
	501*	9.5 x 18	30	5 / 112	C.R.	501 808 001	095 457 664	Rear Axle
	505*	8.0 x 18	30	5 / 112	C.R.	505 808 001	095 457 664	
	505*	9.0 x 18	30	5 / 112	C.R.	505 908 001	095 457 664	Rear Axle
	521*	8.0 x 18	30	5 / 112	C.R.	521 808 001	095 457 664	
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	095 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	095 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	095 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	095 457 664	Rear Axle
	521	8.5 x 19	30	5 / 112	C.R.	521 859 001	095 457 664	
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	095 457 664	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	095 457 664	Front Axle
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	095 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	095 457 664	
	505	10.5 x 20	40	5 / 112	C.R.	505 150 002	095 457 664	Rear Axle
	521	8.5 x 20	30	5 / 112	C.R.	521 850 001	095 457 664	
CL63 AMG 06/2006→ (Type 216) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	095 457 664	Front Axle
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	095 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	095 457 664	Front Axle
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	095 457 664	Rear Axle
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	095 457 664	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	095 457 664	Front Axle
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	095 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	095 457 664	Front Axle
	505	10.5 x 20	40	5 / 112	C.R.	505 150 002	095 457 664	Rear Axle
CL65 AMG 06/2006→ (Type 216) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	095 457 664	Front Axle
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	095 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	095 457 664	Front Axle
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	095 457 664	Rear Axle
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	095 457 664	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	095 457 664	Front Axle
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	095 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	095 457 664	Front Axle
	505	10.5 x 20	40	5 / 112	C.R.	505 150 002	095 457 664	Rear Axle
CLC-KLASSE 03/2008→ (Type 203CL) PCD 5 / 112 - Hub Ø66.5 – Screw M12 x 1.5 17 HEX								
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	055 257 664	
	501	9.5 x 18	30	5 / 112	C.R.	501 958 001	055 257 664	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	055 257 664	
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	055 257 664	Rear Axle
	521	8.0 x 18	30	5 / 112	C.R.	521 808 001	055 257 664	
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	055 257 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	055 257 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	055 257 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	055 257 664	Rear Axle
	521	8.5 x 19	30	5 / 112	C.R.	521 859 001	055 257 664	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL	KIT CODE	NOTE
CLK-KLASSE (Type 209) PCD 5 / 112 - Hub Ø66.5 – Screw M12 x 1.5 17 HEX								
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	055 257 664	
	501	9.5 x 18	30	5 / 112	C.R.	501 958 001	055 257 664	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	055 257 664	
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	055 257 664	Rear Axle
	521	8.0 x 18	30	5 / 112	C.R.	521 808 001	055 257 664	
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	055 257 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	055 257 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	055 257 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	055 257 664	Rear Axle
	521	8.5 x 19	30	5 / 112	C.R.	521 859 001	055 257 664	
CLS-KLASSE 01/2011→ (Type 218) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	095 457 664	
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	095 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	095 457 664	Rear Axle
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	095 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	095 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	095 457 664	Rear Axle
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	095 457 664	Rear Axle
	521	8.5 x 19	30	5 / 112	C.R.	521 859 001	095 457 664	
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	095 457 664	
	365	11.0 x 20	32	5 / 112	C.R.	365 110 002	095 457 664	Rear Axle
	501	8.5 x 20	30	5 / 112	C.R.	501 850 001	095 457 664	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	095 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	095 457 664	Rear Axle
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	095 457 664	Rear Axle
	503	9.0 x 20	30	5 / 112	C.R.	503 900 001	095 457 664	
	503	10.5 x 20	40	5 / 112	C.R.	503 150 001	095 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	095 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	095 457 664	Rear Axle
	505	10.5 x 20	40	5 / 112	C.R.	505 150 002	095 457 664	Rear Axle
	509	9.0 x 20	35	5 / 112	C.R.	509 900 001	095 457 664	
	521	8.5 x 20	30	5 / 112	C.R.	521 850 001	095 457 664	
CLS-KLASSE 03/2004→12/2010 (Type 219) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	521	8.5 x 19	30	5 / 112	C.R.	521 859 001	095 457 664	
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	365	11.0 x 20	32	5 / 112	C.R.	365 110 002	065 457 664	Rear+5mm Sp.
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	035 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	035 457 664	Rear Axle
	509	9.0 x 20	35	5 / 112	C.R.	509 900 001	035 457 664	
	521	8.5 x 20	30	5 / 112	C.R.	521 850 001	035 457 664	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL	KIT CODE	NOTE
CLS 55 AMG 03/2004→03/2007 (Type 219) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	521	8.5 x 19	30	5 / 112	C.R.	521 859 001	095 457 664	
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	365	11.0 x 20	32	5 / 112	C.R.	365 110 002	065 457 664	Rear+5mm Sp.
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	035 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	035 457 664	Rear Axle
	509	9.0 x 20	35	5 / 112	C.R.	509 900 001	035 457 664	
	521	8.5 x 20	30	5 / 112	C.R.	521 850 001	035 457 664	
CLS 63 AMG 03/2007→12/2010 (Type 219) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	521	8.5 x 19	30	5 / 112	C.R.	521 859 001	095 457 664	
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	365	11.0 x 20	32	5 / 112	C.R.	365 110 002	065 457 664	Rear+5mm Sp.
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	035 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	035 457 664	Rear Axle
	509	9.0 x 20	35	5 / 112	C.R.	509 900 001	035 457 664	
	521	8.5 x 20	30	5 / 112	C.R.	521 850 001	035 457 664	
E-KLASSE 03/2002→01/2009 (Type 211) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
* Except E420 CDI (231kw)	501*	8.0 x 18	30	5 / 112	C.R.	501 808 001	095 457 664	
	501*	9.5 x 18	30	5 / 112	C.R.	501 958 001	095 457 664	Rear Axle
	505*	8.0 x 18	30	5 / 112	C.R.	505 808 001	095 457 664	
	505*	9.0 x 18	30	5 / 112	C.R.	505 908 001	095 457 664	Rear Axle
	521*	8.0 x 18	30	5 / 112	C.R.	521 808 001	095 457 664	
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	095 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	095 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	095 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	095 457 664	Rear Axle
	521	8.5 x 19	30	5 / 112	C.R.	521 859 001	095 457 664	
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	095 457 664	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	095 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	095 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	095 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	095 457 664	Rear Axle
	521	8.5 x 20	30	5 / 112	C.R.	521 850 001	095 457 664	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL	KIT CODE	NOTE
E-KLASSE 01/2009→ (Type 212) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	095 457 664	
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	095 457 664	
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	095 457 664	
	501	9.5 x 18	40	5 / 112	C.R.	501 958 002	095 457 664	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	095 457 664	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	095 457 664	
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	095 457 664	
	505	9.0 x 18	40	5 / 112	C.R.	505 908 002	095 457 664	Rear Axle
	521	8.0 x 18	30	5 / 112	C.R.	521 808 001	095 457 664	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	095 457 664	
	521	8.0 x 18	48	5 / 112	C.R.	521 808 003	095 457 664	
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	095 457 664	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	095 457 664	
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	095 457 664	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	095 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	095 457 664	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	095 457 664	
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	095 457 664	
	505	9.0 x 19	40	5 / 112	C.R.	505 959 002	095 457 664	Rear Axle
	521	8.5 x 19	30	5 / 112	C.R.	521 859 001	095 457 664	
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	095 457 664	
	521	8.5 x 19	48	5 / 112	C.R.	521 859 003	095 457 664	
	365	9 x 20	40	5 / 112	C.R.	365 900 002	095 457 664	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	095 457 664	
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	095 457 664	Rear Axle
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	095 457 664	
	505	10.5 x 20	40	5 / 112	C.R.	505 150 002	095 457 664	Rear Axle
	521	8.5 x 20	40	5 / 112	C.R.	521 850 002	095 457 664	
E-KLASSE T-MODEL 01/2009→ (Type 212K) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	095 457 664	
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	095 457 664	
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	095 457 664	
	501	9.5 x 18	40	5 / 112	C.R.	501 958 002	095 457 664	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	095 457 664	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	095 457 664	
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	095 457 664	
	505	9.0 x 18	40	5 / 112	C.R.	505 908 002	095 457 664	Rear Axle
	521	8.0 x 18	30	5 / 112	C.R.	521 808 001	095 457 664	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	095 457 664	
	521	8.0 x 18	48	5 / 112	C.R.	521 808 003	095 457 664	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	095 457 664	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	095 457 664	Rear Axle
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	095 457 664	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	095 457 664	Rear Axle
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	095 457 664	
E-KLASSE T-MODEL 4-MATIC 01/2009→ (Type 212K) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	095 457 664	
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	095 457 664	
	501	9.5 x 18	40	5 / 112	C.R.	501 958 002	095 457 664	Rear Axle
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	095 457 664	
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	095 457 664	
	505	9.0 x 18	40	5 / 112	C.R.	505 908 002	095 457 664	Rear Axle
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	095 457 664	
	521	8.0 x 18	48	5 / 112	C.R.	521 808 003	095 457 664	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL	KIT CODE	NOTE
E-KLASSE COUPE'/CABRIO 01/2009→ (Type 207) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	095 457 664	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	095 457 664	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	095 457 664	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	095 457 664	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	095 457 664	Rear Axle
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	095 457 664	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	095 457 664	Rear Axle
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	095 457 664	
E55 AMG 03/2002→03/2006 (Type 211) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	095 457 664	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	095 457 664	Rear Axle
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	095 457 664	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	095 457 664	Rear Axle
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	095 457 664	
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	035 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	035 457 664	Rear Axle
	521	8.5 x 20	30	5 / 112	C.R.	521 850 001	035 457 664	
E63 AMG 03/2006→ (Type 212) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	035 457 664	Rear Axle
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	035 457 664	Rear Axle
GLK-KLASSE 09/2008→ (Type 204X) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	095 457 664	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	095 457 664	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	095 457 664	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	095 457 664	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	095 457 664	
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	095 457 664	
	365	9.0 x 20	40	5 / 112	C.R.	365 900 002	095 457 664	
	501	8.5 x 20	30	5 / 112	C.R.	501 850 001	095 457 664	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	095 457 664	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	095 457 664	More Aggressive
	503	9.0 x 20	30	5 / 112	C.R.	503 900 001	095 457 664	More Aggressive
	503	9.0 x 20	40	5 / 112	C.R.	503 900 002	095 457 664	
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	095 457 664	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	095 457 664	
	509	9.0 x 20	35	5 / 112	C.R.	509 900 001	095 457 664	
	521	8.5 x 20	30	5 / 112	C.R.	521 850 001	095 457 664	
	521	8.5 x 20	40	5 / 112	C.R.	521 850 002	095 457 664	
	503	9.0 x 22	30	5 / 112	C.R.	503 902 002	095 457 664	
GL-KLASSE 01/2006→ (Type 164G) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
** With 8mm Spacer	389	9.5 x 20	52	5 / 112	66.5	389 950 001	035 457 000	
	503	9.0 x 20	50	5 / 112	66.5	503 900 003	035 457 000	
and kit 075 457 664 regarding TÜV norms	509	9.0 x 20	50	5 / 112	66.5	509 900 002	035 457 000	
	365**	10.0 x 22	60	5 / 112	66.5	365 102 001	035 457 000	
	389	10.0 x 22	52	5 / 112	66.5	389 102 001	035 457 000	
	503	10.0 x 22	52	5 / 112	66.5	503 102 002	035 457 000	
	509	10.0 x 22	52	5 / 112	66.5	509 102 001	035 457 000	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL	KIT CODE	NOTE
M-KLASSE 11/2011→ (Type 166) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	095 457 664	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	095 457 664	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	095 457 664	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 664	
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 664	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 664	
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 664	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	035 457 664	
	521	8.5 x 19	48	5 / 112	C.R.	521 859 003	035 457 664	
	389	9.5 x 20	52	5 / 112	66.5	389 950 001	035 457 000	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 664	
	503	9.0 x 20	50	5 / 112	C.R.	503 850 003	035 457 664	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 664	
	521	8.5 x 20	40	5 / 112	C.R.	521 850 002	035 457 664	
	509	9.0 x 20	50	5 / 112	C.R.	509 850 002	035 457 664	
	365	10.0 x 22	60	5 / 112	66.6	365 102 001	065 457 000	
	389	10.0 x 22	52	5 / 112	66.5	389 102 001	035 457 000	
	503	10.0 x 22	40	5 / 112	C.R.	503 102 001	035 457 664	
	503	10.0 x 22	52	5 / 112	66.5	503 102 002	035 457 000	
	509	10.0 x 22	52	5 / 112	66.5	509 102 001	035 457 000	
M-KLASSE 01/2005→10/2011 (Type 164) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
* Except ML500 (285kw)	501*	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 664	
	505*	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 664	
	521	8.0 x 18	48	5 / 112	C.R.	521 808 003	095 457 664	
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 664	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 664	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	521	8.5 x 19	48	5 / 112	C.R.	521 859 003	035 457 664	
	389	9.5 x 20	52	5 / 112	66.5	389 950 001	035 457 000	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 664	Front Axle
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	035 457 664	Rear Axle
	503	9.0 x 20	50	5 / 112	C.R.	503 850 003	035 457 664	Front Axle
	503	9.0 x 20	40	5 / 112	C.R.	503 850 002	035 457 664	Front Axle
	503	10.5 x 20	40	5 / 112	C.R.	503 150 001	035 457 664	Rear Axle
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 664	Front Axle
	505	10.5 x 20	40	5 / 112	C.R.	505 150 002	035 457 664	Rear Axle
	521	8.5 x 20	40	5 / 112	C.R.	521 850 002	035 457 664	
	509	9.0 x 20	50	5 / 112	C.R.	509 850 002	035 457 664	
	365	10.0 x 22	60	5 / 112	66.6	365 102 001	065 457 000	
	389	10.0 x 22	52	5 / 112	66.5	389 102 001	035 457 000	
	503	10.0 x 22	40	5 / 112	C.R.	503 102 001	035 457 664	
	503	10.0 x 22	52	5 / 112	66.5	503 102 002	035 457 000	
	509	10.0 x 22	52	5 / 112	66.5	509 102 001	035 457 000	
ML63 AMG 06/2005→ (Type 164) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	035 457 664	
	503	10.5 x 20	40	5 / 112	C.R.	503 150 001	035 457 664	
	505	10.5 x 20	40	5 / 112	C.R.	505 150 002	035 457 664	
	503	10.0 x 22	40	5 / 112	C.R.	503 102 001	035 457 664	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL	KIT CODE	NOTE	
R-KLASSE 04/2005→ (Type 251) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX									
* Except R500 (285kw)	501*	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 664	More aggressive	
	501*	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 664		
	505*	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 664	More aggressive	
	505*	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 664		
	521*	8.0 x 18	40	5 / 112	C.R.	521 808 002	035 457 664	More aggressive	
	521*	8.0 x 18	48	5 / 112	C.R.	521 808 003	035 457 664		
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 664	More aggressive	
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 664		
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 664	More aggressive	
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 664		
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	035 457 664	More aggressive	
	521	8.5 x 19	48	5 / 112	C.R.	521 859 003	035 457 664		
	389	9.5 x 20	52	5 / 112	66.5	389 950 001	035 457 000		
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 664		
	503	9.0 x 20	50	5 / 112	C.R.	503 900 003	065 457 000		
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 664		
	509	9.0 x 20	50	5 / 112	C.R.	509 900 002	065 457 000		
	521	8.5 x 20	40	5 / 112	C.R.	521 850 002	035 457 664		
	389	10.0 x 22	52	5 / 112	66.5	389 102 001	035 457 000		
	503	10.0 x 22	52	5 / 112	66.5	503 102 002	035 457 000		
	509	10.0 x 22	52	5 / 112	66.5	509 102 001	035 457 000		
	R63 AMG 01/2007→01/2008 (Type 251) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
		365	10.0 x 22	60	5 / 112	66.6	365 102 001	035 457 000	
		389	10.0 x 22	52	5 / 112	66.5	389 102 001	035 457 000	
		503	10.0 x 22	52	5 / 112	66.5	503 102 002	035 457 000	
		509	10.0 x 22	52	5 / 112	66.5	509 102 001	035 457 000	
	S-KLASSE 09/2005→ (Type 221) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	* Except S600 (380kw)	501*	8.0 x 18	30	5 / 112	C.R.	501 808001	095 457 664	
501*		9.5 x 18	30	5 / 112	C.R.	501 958 001	095 457 664	Rear Axle	
505*		8.0 x 18	30	5 / 112	C.R.	505 808 001	095 457 664		
505*		9.0 x 18	30	5 / 112	C.R.	505 908 001	095 457 664	Rear Axle	
521*		8.0 x 18	30	5 / 112	C.R.	521 808 001	095 457 664		
501		8.5 x 19	30	5 / 112	C.R.	501 859 001	095 457 664		
501		9.5 x 19	30	5 / 112	C.R.	501 959 001	095 457 664	Rear Axle	
505		8.5 x 19	30	5 / 112	C.R.	505 859 001	095 457 664		
505		9.5 x 19	30	5 / 112	C.R.	505 959 001	095 457 664	Rear Axle	
521		8.5 x 19	30	5 / 112	C.R.	521 859 001	095 457 664		
365		9.0 x 20	30	5 / 112	C.R.	365 900 001	095 457 664		
501		8.5 x 20	30	5 / 112	C.R.	501 850 001	095 457 664		
501		9.0 x 20	30	5 / 112	C.R.	501 900 001	095 457 664		
501		10.5 x 20	40	5 / 112	C.R.	501 150 002	095 457 664	Rear Axle	
503		9.0 x 20	30	5 / 112	C.R.	503 900 001	095 457 664		
503		10.5 x 20	40	5 / 112	C.R.	503 150 002	095 457 664	Rear Axle	
505		8.5 x 20	30	5 / 112	C.R.	505 850 001	095 457 664		
505		10.5 x 20	40	5 / 112	C.R.	505 150 002	095 457 664	Rear Axle	
509		9.0 x 20	35	5 / 112	C.R.	509 900 001	095 457 664		
521		8.5 x 20	30	5 / 112	C.R.	521 850 001	095 457 664		

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL	KIT CODE	NOTE
S63 AMG 09/2005→ (Type 221) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	095 457 664	Front Axle
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	095 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	095 457 664	Front Axle
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	095 457 664	Rear Axle
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	095 457 664	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	095 457 664	Front Axle
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	095 457 664	Rear Axle
	503	9.0 x 20	30	5 / 112	C.R.	503 900 001	095 457 664	Front Axle
	503	10.5 x 20	40	5 / 112	C.R.	503 150 002	095 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	095 457 664	Front Axle
	505	10.5 x 20	40	5 / 112	C.R.	505 150 002	095 457 664	Rear Axle
	509	9.0 x 20	35	5 / 112	C.R.	509 900 001	095 457 664	
S65 AMG 09/2005→ (Type 221) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	095 457 664	Front Axle
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	095 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	095 457 664	Front Axle
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	095 457 664	Rear Axle
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	095 457 664	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	095 457 664	Front Axle
	501	10.5 x 20	40	5 / 112	C.R.	501 150 002	095 457 664	Rear Axle
	503	9.0 x 20	30	5 / 112	C.R.	503 900 001	095 457 664	Front Axle
	503	10.5 x 20	40	5 / 112	C.R.	503 150 002	095 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	095 457 664	Front Axle
	505	10.5 x 20	40	5 / 112	C.R.	505 150 002	095 457 664	Rear Axle
	509	9.0 x 20	35	5 / 112	C.R.	509 900 001	095 457 664	
SLK 04/2011→ (Type 172) PCD 5 / 112 - Hub Ø66.5 – Screw M12 x 1.5 17 HEX								
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	055 257 664	
	501	9.5 x 18	30	5 / 112	C.R.	501 958 001	055 257 664	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	055 257 664	
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	055 257 664	Rear Axle
	521	8.0 x 18	30	5 / 112	C.R.	521 808 001	055 257 664	
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	055 257 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	055 257 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	055 257 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	055 257 664	Rear Axle
	521	8.5 x 19	30	5 / 112	C.R.	521 859 001	055 257 664	
SLK 01/2004→03-2011 (Type 171) PCD 5 / 112 - Hub Ø66.5 – Screw M12 x 1.5 17 HEX								
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	055 257 664	
	501	9.5 x 18	30	5 / 112	C.R.	501 958 001	055 257 664	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	055 257 664	
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	055 257 664	Rear Axle
	521	8.0 x 18	30	5 / 112	C.R.	521 808 001	055 257 664	
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	055 257 664	Body work
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	055 257 664	Rear+Body work
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	055 257 664	Body work
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	055 257 664	Rear+Body work
	521	8.5 x 19	30	5 / 112	C.R.	521 859 001	055 257 664	Body work
SLK55 AMG 01/2004→ (Type 171) PCD 5 / 112 - Hub Ø66.5 – Screw M12 x 1.5 17 HEX								
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	055 257 664	Front Axle
	501	9.5 x 18	30	5 / 112	C.R.	501 958 001	055 257 664	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	055 257 664	Front Axle
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	055 257 664	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	055 257 664	Front Axle
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	055 257 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	055 257 664	Front Axle
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	055 257 664	Rear Axle

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

MERCEDES

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL	KIT CODE	NOTE
SL-KLASSE 2012 (Type 231) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	521	8.5 x 19	30	5 / 112	C.R.	521 859 001	035 457 664	
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	365	11.0 x 20	32	5 / 112	C.R.	365 110 002	065 457 664	Rear Axle
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	035 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	035 457 664	Rear Axle
	521	8.5 x 20	30	5 / 112	C.R.	521 850 001	035 457 664	
SL-KLASSE 06/2001→03/2008 (Type 230) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	521	8.5 x 19	30	5 / 112	C.R.	521 859 001	035 457 664	
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	365	11.0 x 20	32	5 / 112	C.R.	365 110 002	065 457 664	Rear Axle
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	035 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	035 457 664	Rear Axle
	521	8.5 x 20	30	5 / 112	C.R.	521 850 001	035 457 664	
SL 55 AMG 06/2001→03/2006 (Type 230) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 664	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 664	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 664	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 664	Rear Axle
	521	8.5 x 19	30	5 / 112	C.R.	521 859 001	035 457 664	
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	365	11.0 x 20	32	5 / 112	C.R.	365 110 002	065 457 664	Rear Axle
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	035 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	035 457 664	Rear Axle
	521	8.5 x 20	30	5 / 112	C.R.	521 850 001	035 457 664	
SL65 AMG 03/2006→03/2008 (Type 230) PCD 5 / 112 - Hub Ø66.5 – Screw M14 x 1.5 17 HEX								
	365	9.0 x 20	30	5 / 112	C.R.	365 900 001	065 457 664	
	365	11.0 x 20	32	5 / 112	C.R.	365 110 002	065 457 664	Rear Axle
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 664	
	501	10.5 x 20	30	5 / 112	C.R.	501 150 001	035 457 664	Rear Axle
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 664	
	505	10.5 x 20	30	5 / 112	C.R.	505 150 001	035 457 664	Rear Axle
	521	8.5 x 20	30	5 / 112	C.R.	521 850 001	035 457 664	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.